

Form – IV
(See rule 13)
ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sl. No	Particulars		
1	Particulars of the Occupier	:	
	(i) Name of the authorised person (occupier or operator of facility)	:	Mr. Faizal Imtiaz
	(ii) Name of HCF	:	Escorts Heart and Super Speciality Hospital Limited
	(iii) Address for Correspondence	:	214, JLN Marg, Malviya Nagar, Jaipur-302017
	(iv) Address of Facility	:	214, JLN Marg, Malviya Nagar, Jaipur-302017
	(v) Tel. No, Fax. No	:	0141-2547000, 0141-2547002
	(vi) E-mail ID	:	contactus.jaipur@fortishealthcare.com
	(vii) URL of Website	:	www.fortishealthcare.com
	(viii) GPS coordinates of HCF	:	Butterfly Softwares, LLP
	(ix) Ownership of HCF	:	Private
	(x). Status of Authorisation under the Bio-Medical Waste (Management and Handling) Rules	:	Authorisation No.: F(BMW)/Jaipur(VKIA)(Sanganer)/2078(1)/2016-2017/9098-9100 valid up to 28.02.2019



2	(xi). Status of Consents under Water Act and Air Act	:	Valid up to:28.02.2019
	Type of Health Care Facility	:	
	(i) Bedded Hospital	:	No. of Beds:250
	(ii) Non-bedded hospital	:	
3	(Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	:	
	(iii) License number and its date of expiry	:	F(BMW)/Jaipur(VKIA)(Sanganer)/2078(1)/2016-2017/9101-9103 & valid till 28.02.2019
	Details of CBMWTF	:	
	(i) Number healthcare facilities covered by CBMWTF	:	NA
	(ii) No of beds covered by CBMWTF	:	NA
4	(iii) Installed treatment and disposal capacity of CBMWTF:	:	NA
	(iv) Quantity of biomedical waste treated or disposed by CBMWTF	:	NA
	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	:	Yellow Category: 2404.51
		:	Red Category : 4961.31
:		White: 228.6	
:		Blue Category : 877	
5	Details of the Storage, treatment, transportation, processing and Disposal Facility	:	General Solid waste: NA

(i) Details of the on-site storage facility	: Size: NA			
	Capacity : NA			
	Provision of on-site storage: (cold storage or any other provision)			
(ii) Details of the treatment or disposal facilities	Type of treatment equipment	No. of units	Capacity Kg/day	Quantity Treated or disposed in kg per annum
	Incinerators	NA		
	Plasma Pyrolysis			
	Autoclaves			
	Microwave			
	Hydroclave			
	Shredder			
	Needle tip cutter or destroyer			
	Sharps encapsulation or concrete pit			
	Deep burial pits:			
	Chemical disinfection:			
Any other treatment equipment:				
(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum.	Red Category (like plastic, glass etc.) - NA			

Sub


(iv) No of vehicles used for collection and transportation of biomedical waste	One vehicle being used to transport Bio-medical Waste and list of authorised vehicles is attached herewith.		
(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum	Incineration Ash ETP Sludge	Quantity generated NA	Where disposed NA
(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of	Instromedix (India) Private Limited		
(vii) List of member HCF not handed over bio-medical waste.	NA		
6 Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period	No		
7 Details trainings conducted on BMW			
(i) Number of trainings conducted on BMW Management.	96		
(ii) Number of personnel trained	1440		
(iii) Number of personnel trained at the time of induction	209		
(iv) Number of personnel not undergone any training so far	NA		
(v) Whether standard manual for training is available?	Yes		
(vi) any other information			
8 Details of the accident occurred during the year			
(i) Number of Accidents occurred	No		

	(ii) Number of the persons affected	No
	(iii) Remedial Action taken (Please attach details if any)	No
	(iv) Any Fatality occurred, details.	No
9	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?	No
	Details of Continuous online emission monitoring systems installed	Yes
	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?	No such system installed
10	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?	NA
11	Any other relevant information	Yes
12		(Air Pollution Control Devices attached with the Incinerator)

Certified that the above report is for the period from 01.01.2016 to 31.12.2016



Faizal Imtiaz



Name and Signature of the Head of the Institution

Date: 08-06-2017

Place: Jaipur